



## Amit Momaya, MD

Orthopedic Surgeon, Chief of Sports Medicine Team Physician for UAB, Legion FC, and Bulls Hockey Highlands Appointments: 205.930.8339 MomayaMD.com

**PATIENT NAME:** 

**PROCEDURE:** 

**DATE OF SURGERY:** 

## PHYSICAL THERAPY ORDER - Multiligament Knee Reconstruction (ACL, PCL)

Phase I: 0-6 weeks

- Edema and pain control

Weight bearing status:

o Heel touch WB in brace locked in extension

- ROM:

0-2 weeks: 0-30 degrees
2-4 weeks: 0-45 degrees
4-6 weeks: 0-90 degrees

Brace:

0-4 weeks: locked in extension except when working on ROM

o 4-6 weeks: 0-90 degrees

- Exercises: heel slides, patellar mobs, gastroc/soleus stretch, calf pumps, side lying hip/core

Phase III: 6-12 weeks

WB status: Full with braceROM: progress towards full

- Brace: HKB

 Exercise: Phase II + close chain quads, focus on quads, step-ups, front/side planks, avoid any significant HS work

Phase IV: 3-12 months

WB status: full without brace

- ROM: full

- Brace: wean off per MD recs

- Exercise: Phase III + advance closed chain exercises, progressive proprioception exercises, stairmaster, elliptical, begin running straight ahead
  - o 6 mo: begin jumping
  - 9 mo: advance running to sprinting, backward running, cutting/pivoting/changing direction, initiate plyometric program and sport specific drills
  - 12 mo: advance as tolerated; strength evaluation and single hop testing

Phase V: 12-18 mo

- Gradual return to sports